



MAKE SPACE

for more than cancer

It is not known if IMFINZI is safe and effective in children.



IMFINZI with chemotherapy* is the #1 prescribed† first treatment option for adults with locally advanced or metastatic bile duct cancer (cholangiocarcinoma) or gallbladder cancer.

*Gemcitabine and cisplatin.

†Based on US prescriptions for advanced biliary tract cancer from Sept 2022 to Aug 2025.

IMFINZI®
durvalumab
Injection for Intravenous Use 50 mg/mL

What is IMFINZI?

IMFINZI is a prescription medicine used to treat adults with **a type of cancer called biliary tract cancer (BTC)**, including cancer of the bile ducts (cholangiocarcinoma) and gallbladder cancer. IMFINZI may be used in combination with chemotherapy medicines gemcitabine and cisplatin when your BTC has spread to nearby tissues (locally advanced), **or** has spread to other parts of the body (metastatic).

It is not known if IMFINZI is safe and effective in children.

SELECT SAFETY INFORMATION

What is the most important information I should know about IMFINZI® (durvalumab)?

IMFINZI is a medicine that may treat certain cancers by working with your immune system. IMFINZI can cause your immune system to attack normal organs and tissues in any area of your body and can affect the way they work. These problems can sometimes become severe or life-threatening and can lead to death. You can have more than one of these problems at the same time. These problems may happen anytime during treatment or even after your treatment has ended.

Please see additional Important Safety Information on pages 30-33 and click the following for Full Prescribing Information including Medication Guide for IMFINZI.



After a diagnosis

Getting diagnosed with advanced bile duct cancer (cholangiocarcinoma) or gallbladder cancer isn't something anyone can prepare for. These cancers usually don't cause symptoms in the early stages, so a diagnosis can come as a shock.

But you're not alone in this. You have resources available to you in addition to this guide. If things get especially hard, remember you can always talk to your doctor and get in touch with patient advocates who can help with practical tips and overall support.

TABLE OF CONTENTS

About bile duct cancer (cholangiocarcinoma) and gallbladder cancer	4
Community support and tips	6
About IMFINZI	8
How IMFINZI + chemotherapy* performed in a clinical study	10
How IMFINZI works with chemotherapy*	16
How is IMFINZI given?	22
Preparing to get treatment	24
Financial and transportation assistance	28
Important Safety Information	30

*Gemcitabine and cisplatin.

SELECT SAFETY INFORMATION (continued)

Call or see your healthcare provider right away if you develop any new or worsening signs or symptoms, including:

Lung problems: cough, shortness of breath, and chest pain

For additional Important Safety Information, [click here](#).

➤ Understanding biliary tract cancers (BTCs)

Bile duct cancer and gallbladder cancer are types of BTCs


Biliary tract cancers are rare and form in the cells of the bile ducts or gallbladder. These cancers:

May affect the liver

Can be caused by inflammation or blockage of the bile ducts over time


Typically don't cause symptoms in the early stages

Have often already spread to other parts of the body at the time of diagnosis



Bile ducts

The bile ducts are a series of thin tubes located in the liver. Their main job is to deliver bile, which is made in the liver, from the liver directly to the intestines or to the gallbladder. Bile helps the body digest fat in food.



Gallbladder

The gallbladder is a small organ where bile is stored. It is located below the liver.

Finding support

Living with locally advanced or metastatic bile duct cancer (cholangiocarcinoma) or gallbladder cancer comes with challenges. But there is support available to help you on your journey. These resources can provide:

- Additional information about your cancer
- More helpful tips for living with cancer and going through treatment
- Emotional support by connecting you with other patients

For people with bile duct cancer (cholangiocarcinoma)



Cholangiocarcinoma Foundation (CCF)

CCF is dedicated to improving the quality of life for people living with cholangiocarcinoma. With a patient-first approach, the Foundation has become a leader in research, education, and community support. From finding the right healthcare team with the specialist map, to finding a mentor with CholangioConnect and beyond, CCF can be a valuable resource for patients and caregivers.

Visit [cholangiocarcinoma.org](https://www.cholangiocarcinoma.org).

5 resources that highlight the role of nutrition while being treated for cancer. Visit [cholangiocarcinoma.org/five-for-friday-5-ways-to-use-nutrition-to-fight-cancer/](https://www.cholangiocarcinoma.org/five-for-friday-5-ways-to-use-nutrition-to-fight-cancer/)

For people with gallbladder cancer



GI Cancers Alliance

GI Cancers Alliance works to raise awareness and provide education and advocacy for people living with gastrointestinal cancers like gallbladder cancer. Visit [gicancersalliance.org](https://www.gicancersalliance.org).



Gallbladder Cancer Foundation

The Gallbladder Foundation's mission is to raise funds for gallbladder cancer research in order to find cures for this rare and aggressive cancer. They also provide a wide range of resources for patients and caregivers, including ways to connect through virtual support groups and a patient registry, and information about biomarkers, clinical trials, diet and nutrition, and more.

Visit [gallbladdercancer.org](https://www.gallbladdercancer.org).



**IMFINZI +
chemotherapy* helps
treat locally advanced
or metastatic
bile duct cancer
(cholangiocarcinoma)
and gallbladder cancer**

*Gemcitabine and cisplatin.



See page 10 to learn how IMFINZI + chemotherapy*
was studied.

**IMFINZI WITH CHEMOTHERAPY*
IS THE #1 PRESCRIBED† FIRST
TREATMENT OPTION**

for adults with locally advanced or metastatic bile duct
cancer (cholangiocarcinoma) or gallbladder cancer



IMFINZI is an immunotherapy, which is a type of treatment that works with your body's immune system to help fight your cancer. IMFINZI may cause the immune system to attack healthy cells.

*Gemcitabine and cisplatin.

†Based on US prescriptions for advanced biliary tract cancer from Sept 2022 to Aug 2025.

SELECT SAFETY INFORMATION (continued)

Call or see your healthcare provider right away if you develop any new or worsening signs or symptoms, including:

Intestinal problems: diarrhea (loose stools) or more frequent bowel movements than usual; stools that are black, tarry, sticky, or have blood or mucus; and severe stomach-area (abdomen) pain or tenderness

For additional Important Safety Information, [click here](#).

➤
**How was
IMFINZI
studied?**

**A clinical trial compared 2 groups of adults
with locally advanced or metastatic bile duct
cancer or gallbladder cancer:**

The main goal of the study was to measure how long people lived
(called overall survival). See page 12 for the results of the study.



341

people received
IMFINZI + chemotherapy*

344

people received
**placebo (no medicine)
+ chemotherapy***

*Gemcitabine and cisplatin.



SELECT SAFETY INFORMATION (continued)

Call or see your healthcare provider right away if you develop any new or worsening signs or symptoms, including:

Liver problems: yellowing of your skin or the whites of your eyes, severe nausea or vomiting, pain on the right side of your stomach area (abdomen), dark urine (tea colored), and bleeding or bruising more easily than normal

For additional Important Safety Information, [click here](#).

IMFINZI®
durvalumab
Injection for Intravenous Use 50 mg/mL

➤ What were the clinical trial results with IMFINZI and chemotherapy?*

In adults with locally advanced or metastatic bile duct cancer (cholangiocarcinoma) or gallbladder cancer

*Gemcitabine and cisplatin.



It is not known if IMFINZI is safe and effective in children.

SELECT SAFETY INFORMATION (continued)

Call or see your healthcare provider right away if you develop any new or worsening signs or symptoms, including:

Hormone gland problems: headaches that will not go away or unusual headaches; eye sensitivity to light; eye problems; rapid heartbeat; increased sweating; extreme tiredness; weight gain or weight loss; feeling more hungry or thirsty than usual; urinating more often than usual; hair loss; feeling cold; constipation; your voice gets deeper; dizziness or fainting; and changes in mood or behavior, such as decreased sex drive, irritability, or forgetfulness

For additional Important Safety Information, [click here](#).

IMFINZI + chemotherapy* helped people live longer compared to those taking chemotherapy* alone

Median Overall Survival

12.8

months

taking **IMFINZI + chemotherapy***

vs


11.5

months

taking **chemotherapy* alone**

The study measured median overall survival, which is the length of time from the start of treatment that half of the people were still living.

Data cutoff was August 11, 2021.



IMFINZI with chemotherapy* lowered the risk of death by 20%

compared to chemotherapy* alone.

IMFINZI + chemotherapy* is the first and only immunotherapy-based treatment option with 4-year survival data in advanced BTCs

In a follow-up analysis at 4 years:

12%

of adults who received **IMFINZI + chemotherapy*** were still living

4%

of adults who received **chemotherapy* alone** were still living

A follow-up analysis, which is called a post-hoc analysis, was done with a group of people from this original clinical trial. This analysis was conducted approximately 4 years after the last patient started treatment in this study and measured overall survival at 4 years. Given the nature of this disease, fewer patients were evaluated in this analysis. **Based on the limitations of the analysis, results are descriptive, and your experience may differ.**


Data cutoff was February 28, 2025.

*Gemcitabine and cisplatin.

IMFINZI®
durvalumab
Injection for Intravenous Use 50 mg/mL

➤ What were the clinical trial results with IMFINZI and chemotherapy?*(continued)

*Gemcitabine and cisplatin.



In the clinical trial, IMFINZI with chemotherapy* lowered the risk of cancer growing or spreading by 25% compared to chemotherapy* alone.

Within the trial, half of the people taking IMFINZI with chemotherapy* lived without their tumors growing or spreading for **7 months** compared to **6 months** for people taking chemotherapy* alone.

Data cutoff was August 11, 2021.



It is not known if IMFINZI is safe and effective in children.

SELECT SAFETY INFORMATION (continued)

Call or see your healthcare provider right away if you develop any new or worsening signs or symptoms, including:

Kidney problems: decrease in your amount of urine, blood in your urine, swelling of your ankles, and loss of appetite

For additional Important Safety Information, [click here](#).


IMFINZI®
durvalumab
Injection for Intravenous Use 50 mg/mL




How does IMFINZI work?

IMFINZI is an immunotherapy treatment that works by helping your body's immune system. IMFINZI may also attack healthy cells.

Meet the key players:




Healthy cell




Immune system




Cancer cell




IMFINZI




When cancer cells appear in your body, your immune system works to recognize and attack them.



PD-L1 is a protein that disguises cancer cells from the immune system.



IMFINZI works by binding to and blocking PD-L1 to remove the disguise...



...so your immune system is better able to find and attack these cancer cells. IMFINZI may affect healthy cells, too.

SELECT SAFETY INFORMATION (continued)

Call or see your healthcare provider right away if you develop any new or worsening signs or symptoms, including:

Skin problems: rash; itching; skin blistering or peeling; painful sores or ulcers in mouth or nose, throat, or genital area; fever or flu-like symptoms; and swollen lymph nodes


For additional Important Safety Information, [click here](#).




How does chemotherapy work?

Chemotherapy is a treatment that destroys fast-growing cancer cells in the body. Chemotherapy may also affect healthy cells.


Meet the key players:



Healthy cell



Unhealthy cell




Immune system




Cancer cell




Chemotherapy




The immune system serves as your body's defense system against infections and diseases and can typically detect and destroy unhealthy cells.



Unhealthy cells, if not detected and destroyed by the immune system, may eventually turn into cancer.



Cancer cells grow abnormally and multiply quickly. This is where chemotherapy, a type of cancer treatment, can help.



Chemotherapy has the ability to destroy rapidly growing cells—such as cancer cells—throughout the body. Since chemotherapy can destroy fast-growing cells, healthy cells may also be affected.

SELECT SAFETY INFORMATION (continued)

Call or see your healthcare provider right away if you develop any new or worsening signs or symptoms, including:

Pancreas problems: pain in your upper stomach area (abdomen), severe nausea or vomiting, and loss of appetite

For additional Important Safety Information, [click here](#).





M A K E

S P A C E

for more than cancer



Starting and preparing for treatment

In the next section, you'll find tips to help you prepare for infusion days, information about what to bring to infusion days, as well as financial support resources.

How IMFINZI is given

IMFINZI is an intravenous (IV) infusion. You'll be given IMFINZI at your doctor's office or an infusion center. For the first part of treatment, IMFINZI is given with chemotherapy.* IMFINZI is given alone for the second part of treatment.

*Gemcitabine and cisplatin.

Key facts to know about your infusion



How long is an infusion?

IMFINZI infusions last about **60 minutes**. Your appointments may last longer if your doctor decides to take blood tests. After the IMFINZI infusion, you may receive another infusion of chemotherapy.* The length of these treatments may be different.



How often are infusions?

You will be given infusions **every 3 weeks** when IMFINZI is given with chemotherapy.* Afterwards, you'll receive infusions of IMFINZI alone **every 4 weeks**.

Remember to believe in yourself

Treatment may have its ups and downs but what remains constant is your determination. Every effort counts.



How long will I need treatment?

IMFINZI is given with chemotherapy* initially. Many people are then able to continue their IMFINZI treatment without chemotherapy.*

The number of treatments will be determined by your doctor, depending on the condition of your cancer. You will stop receiving IMFINZI if your cancer progresses or if side effects become intolerable.

*Gemcitabine and cisplatin.

SELECT SAFETY INFORMATION (continued)

Call or see your healthcare provider right away if you develop any new or worsening signs or symptoms, including:

Problems can also happen in other organs and tissues. These are not all of the signs and symptoms of immune system problems that can happen with IMFINZI. Call or see your healthcare provider right away for any new or worsening signs or symptoms, which may include: Chest pain, irregular heartbeats, shortness of breath or swelling of ankles; confusion, sleepiness, memory problems, changes in mood or behavior, stiff neck, balance problems; tingling, numbness or weakness of the arms or legs; double vision, blurry vision, sensitivity to light, eye pain, changes in eye sight; persistent or severe muscle pain or weakness, muscle cramps, joint pain, joint stiffness or swelling; and low red blood cells and bruising

For additional Important Safety Information, [click here](#).



As you start treatment, it's important for you to understand that you may experience side effects.

Keeping track of side effects and telling your care team about any new or worsening signs or symptoms during and after treatment is important.

[Click here](#) to download a printable version of the side effect tracker to help monitor any side effects.

A little planning can go a long way to help improve your treatment experience. Here are a few suggestions to help get you ready.

Before treatment, make sure to:



Drink plenty of water and eat a small meal. You may also want to pack a water bottle and snacks in case you get hungry



Dress comfortably in loose-fitting clothing




Write down questions you
may have


On treatment day, bring:



Your identification/
insurance card



A sweater or blanket, as it can get cold in the treatment center



Lip balm, lotion, and hard candy to help soothe dry skin and lips



A list of medications you
are currently taking



Activities to keep you occupied, such as reading materials, puzzles, and mobile devices

Don't forget: Be sure to schedule your next infusion appointment before leaving the treatment center. If possible, try to take it easy for the rest of the day.

SELECT SAFETY INFORMATION (continued)

Call or see your healthcare provider right away if you develop any new or worsening signs or symptoms, including:

Infusion reactions that can sometimes be severe or life-threatening. Signs and symptoms of infusion reactions may include: chills or shaking, itching or rash, flushing, shortness of breath or wheezing, dizziness, feel like passing out, fever, and back or neck pain

For additional Important Safety Information, [click here](#).



Notes

Use the space below to write down any additional questions you may have, or to jot down notes during your appointment.

This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Financial resources

Transportation assistance



Air Charity Network

Provides free air transportation to medical facilities for patients who are financially distressed or unable to travel on public transportation. Visit aircharitynetwork.org.



American Cancer Society Road To Recovery®

Coordinates rides with an American Cancer Society volunteer driver or with a local transportation partner to provide transportation to and from treatment for patients. Visit [cancer.org](https://www.cancer.org).

AstraZeneca wants you to have support options available



The **AstraZeneca Access 360™** program can help you get started with IMFINZI. For more information, call 1-844-ASK-A360 (1-844-275-2360), Monday-Friday from 8 AM–6 PM ET or visit **[MyAccess360.com](https://myaccess360.com)**.

The **IMFINZI Patient Savings Program** is available to assist with out-of-pocket costs for IMFINZI for eligible commercially insured patients. For more information, please visit www.azpatientsupport.com.



Important Safety Information

What is the most important information I should know about IMFINZI® (durvalumab)?

IMFINZI is a medicine that may treat certain cancers by working with your immune system. IMFINZI can cause your immune system to attack normal organs and tissues in any area of your body and can affect the way they work. These problems can sometimes become severe or life-threatening and can lead to death. You can have more than one of these problems at the same time. These problems may happen anytime during treatment or even after your treatment has ended.

Call or see your healthcare provider right away if you develop any new or worsening signs or symptoms, including:



Lung problems: cough, shortness of breath, and chest pain



Intestinal problems: diarrhea (loose stools) or more frequent bowel movements than usual; stools that are black, tarry, sticky, or have blood or mucus; and severe stomach-area (abdomen) pain or tenderness



Liver problems: yellowing of your skin or the whites of your eyes, severe nausea or vomiting, pain on the right side of your stomach area (abdomen), dark urine (tea colored), and bleeding or bruising more easily than normal



Hormone gland problems: headaches that will not go away or unusual headaches; eye sensitivity to light; eye problems; rapid heartbeat; increased sweating; extreme tiredness; weight gain or weight loss; feeling more hungry or thirsty than usual; urinating more often than usual; hair loss; feeling cold; constipation; your voice gets deeper; dizziness or fainting; and changes in mood or behavior, such as decreased sex drive, irritability, or forgetfulness



Kidney problems: decrease in your amount of urine, blood in your urine, swelling of your ankles, and loss of appetite



Skin problems: rash; itching; skin blistering or peeling; painful sores or ulcers in mouth or nose, throat, or genital area; fever or flu-like symptoms; and swollen lymph nodes



Pancreas problems: pain in your upper stomach area (abdomen), severe nausea or vomiting, and loss of appetite



Problems can also happen in other organs and tissues. These are not all of the signs and symptoms of immune system problems that can happen with IMFINZI. Call or see your healthcare provider right away for any new or worsening signs or symptoms, which may include: Chest pain, irregular heartbeats, shortness of breath or swelling of ankles; confusion, sleepiness, memory problems, changes in mood or behavior, stiff neck, balance problems; tingling, numbness or weakness of the arms or legs; double vision, blurry vision, sensitivity to light, eye pain, changes in eye sight; persistent or severe muscle pain or weakness, muscle cramps, joint pain, joint stiffness or swelling; and low red blood cells and bruising



Infusion reactions that can sometimes be severe or life-threatening. Signs and symptoms of infusion reactions may include: chills or shaking, itching or rash, flushing, shortness of breath or wheezing, dizziness, feel like passing out, fever, and back or neck pain



Rejection of a transplanted organ or tissue. Your healthcare provider should tell you what signs and symptoms you should report and monitor you depending on the type of organ or tissue transplant that you have had



Complications, including graft-versus-host disease (GVHD), in people who have received a bone marrow (stem cell) transplant that uses donor stem cells (allogeneic). These complications can be serious and can lead to death. These complications may happen if you underwent transplantation either before or after being treated with IMFINZI. Your healthcare provider will monitor you for these complications

Getting medical treatment right away may help keep these problems from becoming more serious. Your healthcare provider will check you for these problems during your treatment with IMFINZI. Your healthcare provider may treat you with corticosteroid or hormone replacement medicines. Your healthcare provider may also need to delay or completely stop treatment with IMFINZI if you have severe side effects

For additional Important Safety Information, [click here](#).

➤ Important Safety Information (continued)

Before you receive IMFINZI, tell your healthcare provider about all of your medical conditions, including if you:

- have immune system problems such as Crohn's disease, ulcerative colitis, or lupus
- have received an organ or tissue transplant, including corneal transplant
- have received or plan to receive a stem cell transplant that uses donor stem cells (allogeneic)
- have received radiation treatment to your chest area
- have a condition that affects your nervous system, such as myasthenia gravis or Guillain-Barré syndrome
- are pregnant or plan to become pregnant. IMFINZI can harm your unborn baby

Females who are able to become pregnant:

- Your healthcare provider will give you a pregnancy test before you start treatment with IMFINZI.
- You should use an effective method of birth control during your treatment and for 3 months after the last dose of IMFINZI. Talk to your healthcare provider about birth control methods that you can use during this time.
- Tell your healthcare provider right away if you become pregnant or think you may be pregnant during treatment with IMFINZI.
- are breastfeeding or plan to breastfeed. It is not known if IMFINZI passes into your breast milk. Do not breastfeed during treatment and for 3 months after the last dose of IMFINZI.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

What are the possible side effects of IMFINZI?

IMFINZI can cause serious side effects (see pages 30-31).

The most common side effects of IMFINZI when used with gemcitabine and cisplatin in adults with biliary tract cancer (BTC) include feeling tired, nausea, constipation, decreased appetite, stomach (abdominal) pain, rash, and fever.

Tell your healthcare provider if you have any side effect that bothers you or that does not go away. These are not all the possible side effects of IMFINZI. Ask your healthcare provider or pharmacist for more information.

Call your doctor for medical advice about side effects. You may report side effects related to AstraZeneca products [↗](#). If you prefer to report these to the FDA, either visit www.FDA.gov/medwatch or call 1-800-FDA-1088.

What is IMFINZI?

IMFINZI is a prescription medicine used to treat adults with **a type of cancer called biliary tract cancer (BTC)**, including cancer of the bile ducts (cholangiocarcinoma) and gallbladder cancer. IMFINZI may be used in combination with chemotherapy medicines gemcitabine and cisplatin when your BTC has spread to nearby tissues (locally advanced), **or** has spread to other parts of the body (metastatic).

It is not known if IMFINZI is safe and effective in children.

Please see additional Important Safety Information on pages 30-32 and click the following for Full Prescribing Information including Medication Guide for IMFINZI.

LEARN MORE ABOUT IMFINZI

Get started at [IMFINZI.com/BTCs](https://www.imfinzi.com/BTCs)

Or call AstraZeneca at 1-800-236-9933

Monday-Friday, 8 AM–6 PM ET, excluding holidays

Please see additional Important Safety Information on pages 30-33 and click the following for Full Prescribing Information including Medication Guide for IMFINZI.

It is not known if IMFINZI is safe and effective in children.



IMFINZI is a registered trademark and AstraZeneca Access 360 is a trademark of the AstraZeneca group of companies.

©2026 AstraZeneca. All rights reserved. US-100819 Last Updated 1/26

